(19) 世界知的所有権機関 国際事務局



(43) 国際公開日 2005 年9 月29 日 (29.09.2005)

PCT

(10) 国際公開番号 WO 2005/090405 A1

(51) 国際特許分類?: **C07K 16/28**, A61K 39/395, A61P 1/04, 1/18, 13/12, 17/06, 19/02, 29/00, 31/04, 31/18, 35/00, 37/02, 37/06 // C12N 15/09, C12P 21/08

(21) 国際出願番号:

PCT/JP2005/006229

(22) 国際出願日:

2005年3月24日(24.03.2005)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2004-087578 2004年3月24日(24.03.2004) JP

(71) 出願人 (米国を除く全ての指定国について): 中 外製薬株式会社 (CHUGAI SEIYAKU KABUSHIKI KAISHA) [JP/JP]; 〒1158543 東京都北区浮間 5 丁目 5 番 1 号 Tokyo (JP).

(72) 発明者; および

(75) 発明者/出願人(米国についてのみ): 加野勝宏(KANO, Katsuhiro) [JP/JP]; 〒1158543 東京都北区浮間 5 丁目 5番1号中外製薬株式会社内 Tokyo (JP). 寺島勇 (TERASHIMA, Isamu) [JP/JP]; 〒1158543 東京都北区 浮間 5 丁目 5番1号中外製薬株式会社内 Tokyo (JP).

- (74) 代理人: 青木 篤, 外(AOKI, Atsushi et al.); 〒1058423 東京都港区虎ノ門三丁目 5 番 1 号 虎ノ門 3 7 森ビ ル 青和特許法律事務所 Tokyo (JP).
- (81) 指定国 (表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) 指定国 (表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, Cl, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

添付公開書類:

一 国際調査報告書

2文字コード及び他の略語については、定期発行される 各PCTガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。

(54) Title: SUBTYPE OF HUMANIZED ANTIBODY AGAINST INTERLEUKIN-6 RECEPTOR

(54)発明の名称: インターロイキンー6受容体に対するヒト型化抗体のサブタイプ

(57) Abstract: As a subtype of humanized PM-1 antibody against interleukin-6 receptor (IL-6R), there is provided antibody subtype (1) whose one heavy chain C terminus consists of Pro-NH₂ (447). As another subtype of humanized PM-1 antibody against interleukin-6 receptor (IL-6R), there is provided antibody subtype (2) whose both heavy chain C termini consist of Pro-NH₂ (447). Furthermore, there are provided pharmaceutical compositions comprising these.

○ (57) 要約: インターロイキン-6 受容体(IL-6R)に対するヒト型化PM-1 抗体のサブタイプであって、片方の重鎖C末端がPro-NH2 (447) である抗体サブタイプ (1)、及びインターロイキン-6 受容体 (IL-6R) に対するヒト型化 PM-1 抗体のサブタイプであって、両方の重鎖C末端がPro-NH2 (447) である抗体サブタイプ (2)、並びにこれら を含んで成る医薬組成物。



INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP2005/006229

4 60 4001016	TION OF SUBJECT ALITED			
A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ C07K16/28, A61K39/395, A61P1/04, 1/18, 13/12, 17/06, 19/02,				
1	29/00, 31/04, 31/18, 35/00, 3	37/02. 37/06//C12N15/09	. C12P21/08	
			,,	
According to Inte	ernational Patent Classification (IPC) or to both nationa	il classification and IPC		
B. FIELDS SE.	ARCHED			
Minimum docum	nentation searched (classification system followed by cla	assification symbols)		
Int.Cl'	C07K16/28, A61K39/395, A61P1/	/04, 1/18, 13/12, 17/06	, 19/02,	
	29/00, 31/04, 31/18, 35/00, 3	37/02, 37/06//C12N15/09	, C12P21/08	
-				
	searched other than minimum documentation to the exter	ent that such documents are included in the	e fields searched	
Jitsuyo	Shinan Koho 1922-1996 Ji	tsuyo Shinan Toroku Koho	1996-2005	
Kokai Jitsuyo Shinan Koho 1971-2005 Toroku Jitsuyo Shinan Koho 1994-2005				
Electronic data b	oase consulted during the international search (name of c	data base and, where practicable, search te	rms used)	
WPI (DIA	ALOG), BIOSIS(DIALOG), JICST FI	LE (JOIS)	*	
C. DOCUMEN	VTS CONSIDERED TO BE RELEVANT			
C-t	Citation of document with indication whom		7.1	
Category*	Citation of document, with indication, where ap	• • • • • • • • • • • • • • • • • • • •	Relevant to claim No.	
Y	JP 05-227970 A (Chugai Pharm	aceutical Co.,	1-6	
	Ltd.), 07 September, 1993 (07.09.93)			
1	Par. Nos. [0140] to [0143], [, [0170] to [0171]		
	& WO 1992/019759 A1	.02.10, 00 [0		
1	Page 64, line 3 to page 65, l			
	& US 5795965 A1 & EP	0628639 A1		
Y	JP 2002-510211 A (Genentech,		3.6	
†	02 April, 2002 (02.04.02),	inc./,	1-6	
	Page 77, line 14 to page 79,	line 10		
	& WO 1999/001556 A2 & US			
]				
			<u> </u>	
× Further do	ocuments are listed in the continuation of Box C.	See patent family annex.		
	gories of cited documents:	"T" later document published after the inte	emational filing date or priority	
	lefining the general state of the art which is not considered licular relevance	date and not in conflict with the application the principle or theory underlying the in	ation but cited to understand	
1	cation or patent but published on or after the international	"X" document of particular relevance; the c		
filing date		considered novel or cannot be considered novel or cannot be considered to the step when the document is taken alone	dered to involve an inventive	
	which may throw doubts on priority claim(s) or which is ablish the publication date of another citation or other	"Y" document of particular relevance; the c		
special reaso	on (as specified)	considered to involve an inventive	step when the document is	
	eferring to an oral disclosure, use, exhibition or other means ublished prior to the international filing date but later than	combined with one or more other such being obvious to a person skilled in the	documents, such combination	
the priority date claimed		"&" document member of the same patent f		
<u> </u>		-		
	al completion of the international search	Date of mailing of the international search		
19 May,	, 2005 (19.05.05)	07 June, 2005 (07.0	16.05)	
	· · · · · · · · · · · · · · · · · · ·			
Name and mailing address of the ISA/		Authorized officer		
Japanese Patent Office				
Facsimile No.	!	Telephone No.		

INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP2005/006229

		PC1/0P20	005/006229
C (Continuation).	DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relev	ant passages	Relevant to claim No.
У	MERKLER et al., Recombinant type A rat 75-kDa alpha-amidating enzyme catalyzes the conversion of glycine-extended peptides to peptide amides via an alpha-hydroxyglycine intermediate, Arch.Biochem.Biophys., Vol.289, No.1, 15 August, 1991 (15.08.91), pages 192 to 196		1-6
Y	MILLER et al., Characterization of a bifunctional peptidylglycine alpha-amidatenzyme expressed in Chinese hamster ovarycells, Arch.Biochem.Biophys., Vol.298, No. 101 November, 1992 (01.11.92), pages 380 to 100 to	tional peptidylglycine alpha-amidating expressed in Chinese hamster ovary Arch.Biochem.Biophys., Vol.298, No.2,	
Y	RAY et al., Production of salmon calcitonin by direct expression of a glycine-extended precursor in Escherichia coli, Protein Expr. Purif., Vol.26, No.2, 2002.11, pages 249 to 259		1-6
Y	JP 2002-525104 A (SmithKline Beecham Cor 13 August, 2002 (13.08.02), Par. No. [0123] & WO 2000/018804 A1 & US 6365154 B1	rp.),	1-6
Y	TP 06-319396 A (Japan Tobacco Inc.), 22 November, 1994 (22.11.94), Par. No. [0028] (Family: none)		1-6
Y	ADAMCZYK et al., Complete sequencing of a vancomycin fab fragment by liquid chromatography-electrospray ion trap mass spectrometry with a combination of databasearching and manual interpretation of the MS/MS spectra, J.Immunol.Methods, Vol.26 No.1-2, 01 February, 2002 (01.02.02), page 235 to 249	s ase he 0,	1-6
A	HIRATA et al., Characterization of IL-6 receptor expression by monoclonal and polyclonal antibodies, J.Immunol., Vol.1. No.9, 01 November, 1989 (01.11.89), page to 2906		1-6